



(Ingestion)

Certificate of Analysis  
Compliance Test

Batch # 240823C  
Batch Date: 2024-08-09  
Extracted From: Hemp

Test Reg State: Colorado

Production Date: 2024-08-09

Order Date: 2024-08-09  
Sample # AAFV652

Sampling Date: 2024-08-13  
Lab Batch Date: 2024-08-13  
Completion Date: 2024-08-19

Initial Gross Weight: 226.042 g



Product Image



Potency  
Tested



Pathogenic  
Passed



Microbiology Petrifilm  
Passed



Potency 10

Specimen Weight: 101.290 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCV	10.000	7.00E-6	0.0015	12.1100	1.2110
CBC	10.000	1.80E-5	0.0015	<LOQ	<LOQ
CBD	10.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.0015	<LOQ	<LOQ
CBN	10.000	1.40E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.0015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.0015	<LOQ	<LOQ
Total Active CBD	10.000			<LOQ	<LOQ
Total Active THC	10.000			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids 1.211%	Total THCv 1.211%

Aixia Sun

Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCv = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per CO rule 6 CCR 1010-21. Failed - Analyte/microbe is at the level that equal or above the action limit per CO rule 6 CCR 1010-21 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

# Certificate of Analysis

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Spinetoram	0.02/0.06	ND	0.1	Pass
Spinosad	0.02/0.06	ND	0.1	Pass
Spiromesifen	0.04/0.10	ND	0.1	Pass
Spirotetramat	0.02/0.06	ND	0.1	Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	0.1	Pass
Thiadoprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	5.0	Pass
Trifloxystrobin	0.02/0.06	ND	0.1	Pass

## Residual Solvent Screen Pass

05/15/2024

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

## Heavy Metal Screen Pass

05/15/2024

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	0.2	Pass
Cadmium	0.02/0.05	ND	0.2	Pass
Mercury	0.02/0.05	ND	0.1	Pass
Lead	0.02/0.125	ND	0.5	Pass

## Mycotoxin Screen Pass

05/15/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

## Microbiological Screen

05/17/2024

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	FDA BAM
Mold	<10	cfu/g	FDA BAM
Coliforms	<10	cfu/g	FDA BAM - ECC AGAR
Escherichia coli	<10	cfu/g	FDA BAM - ECC AGAR

## Pesticide Residue Screen Pass

05/15/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.1	Pass
Acephate	0.02/0.06	ND	0.1	Pass
Acequinocyl	0.04/0.10	ND	0.1	Pass
Acetamiprid	0.017/0.05	ND	0.1	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	0.1	Pass
Bifenazate	0.02/0.06	ND	0.1	Pass
Bifenthrin	0.04/0.10	ND	3.0	Pass
Boscalid	0.02/0.06	ND	0.1	Pass
Captan	0.2/0.6	ND	0.7	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	10.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.1	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	2.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.013	Pass
Diazinon	0.017/0.05	ND	0.1	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	2.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	0.1	Pass
Fenhexamid	0.017/0.05	ND	0.1	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	0.1	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	0.1	Pass
Fludioxonil	0.02/0.06	ND	0.1	Pass
Hexythiazox	0.02/0.06	ND	0.1	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	5.0	Pass
Kresoxim Methyl	0.02/0.06	ND	0.1	Pass
Malathion	0.017/0.05	ND	0.5	Pass
Metaxyl	0.017/0.05	ND	2.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	1.0	Pass
Methylparathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	0.1	Pass
Naled	0.017/0.05	ND	0.1	Pass
Oxamyl	0.013/0.04	ND	0.5	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.1	Pass
Permethrins	0.10/0.30	ND	0.5	Pass
Phosmet	0.02/0.06	ND	0.1	Pass
Piperonyl Butoxide	0.02/0.06	ND	3.0	Pass
Prallethrin	0.04/0.10	ND	0.1	Pass
Propiconazole	0.02/0.06	ND	0.1	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	0.5	Pass
Pyridaben	0.017/0.05	ND	0.1	Pass



## Certificate of Analysis

Compliance Test

Batch # 240823C

<Batch Date: 2024-08-26<  
Extracted From: Hemp

Test Reg State: Colorado

Production Date: 2024-08-26

Order Date: 2024-08-26  
Sample # AAFW664

Sampling Date: 2024-08-28  
Lab Batch Date: 2024-08-28  
Completion Date: 2024-09-02

Initial Gross Weight: 235.700 g



Product Image



Pathogenic  
Passed



Microbiology Petrifilm  
Passed



Pathogenic SE (qPCR) - CO  
Specimen Weight: 25.180 g

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte
E.Coli	Passed	Salmonella

Passed  
SOP13.029  
(qPCR)

Result (cfu/g)  
Passed



Microbiology (Petrifilm) - CO  
Specimen Weight: 1008.200 mg

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Limit (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Limit (cfu/g)	Result (cfu/g)
Aerobic Bacteria	10	10000	<10	Yeast/Mold	10	1000	<10
Total Coliform	10	100	<10				

Passed  
SOP13.003  
(Petrifilm)

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per CO rule 6 CCR 1010-21. Failed - Analyte/microbe is at the level that equal or above the action limit per CO rule 6 CCR 1010-21 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.